

# Volvo 7700 FL



- 1- Driver air flow temperature
- 2- Driver airflow direction
- 3- Blow-in output (3.1 internal circuit)
- 4- Class heating temperature
- 5- Light knob
- 6- Backlight intensity
- 7- Hazard warning lights switch

- 8- Power switch
- 9- ASR switch
- 10- NO FUNCTION
- 11- Retarder switch
- 12- Height adjustment
- 13- Kneeling
- 14- Transmission buttons
- 15- Driver lighting
- 16- Front deck lighting
- 17- Class I lighting
- 18- Class II lighting
- 19-NO FUNCTION
- 20- NO FUNCTION
- 21- Door and half locks
- 22- 1,2,3 door buttons
- 23- Button to open all doors
- 24- Horn
- 25- On-board computer BACK
- 26- On-board computer ENTER
- 27- On-board computer UP / DOWN



- 28- Rear sunroofs
- 29- Front sunroof
- 30- NO FUNCTION
- 31- Door programming (but a warm button that only opens the door)
- 32- Switch and blowers
- 33- Blower switch II
- 34- Blower switch III
- 35- Parking brake lock
- 36- Handbrake
- 37- Pixel KPP-2 SWITCH
- 38- Pixel KPP-2 CANCEL
- 39- Pixel KPP-2 CONFIRM
- 40- Pixel KPP-2 UP / DOWN

- 41- Pixel KPP-2 NO
- 42- Pixel KPP-2 YES
- 43- Pixel KPP-2 CHANGE

## How to start the bus?

1. Press the E button
  2. When you hear the chime, press M
  3. Press M again
  4. After the clock is fully initialized, you can start the engine, so press M again
- Light control works just like in Solaris, i.e. by using the L / Shift + L keys.

## Pixel system user manual

1. Login: 1111  
Password: 666666
2. A)  
I Select a schedule  
Option II will be selected automatically  
III Accept the selected option  
IV Done  
B)  
And Enter Menu / Line  
II Enter Line Number  
III Select a direction from the list  
IV Accept  
V Done

---

Revision #1

Created 5 January 2020 17:44:13 by Gameburrow

Updated 2 May 2020 07:21:41 by Gameburrow